

gofalu am ein gilydd, cydweithio, gwella bob amser caring for each other, working together, always improving

Rydym yn croesawu gohebiaeth yn y Gymraeg ac yn y Saesneg. We welcome correspondence in Welsh or English.

Dyddiad/Date: 24th October 2019

Ein Cyf / Our Ref: 19-J-008

© 01639 648363 FOIA.Requests@wales.nhs.uk

Corporate Services
Headquarters
1 Talbot Gateway
Baglan
Port Talbot, SA12 7BR

I refer to your Freedom of Information Act Request acknowledged by ourselves on 4th October 2019. Your request sought information relating to endometrial ablation procedures.

1) How many NovaSure for endometrial ablation procedures, has the trust purchased in the last 12 months?

I understand you have already received this information on an All Wales basis from the NHS Wales Shared Services Partnership broken down by each Health Board in Wales.

2) How many Lonestar disposable surgical retractors has the trust purchased in the last 12 months?

I understand you have received this information on an All Wales basis from the NHS Wales Shared Services Partnership broken down by each Health Board in Wales.

3) Are your surgeons using adhesion prevention products (eg: Hyalobarrier gel, Hyacorp endo gel, Materegen gel) for laparoscopic procedures?

Yes, Hyalobarrier gel

If so, how many have been purchased in the last 12 months 44 units ordered in last 12 months

4) Are your surgeons using adhesion prevention products (eg: Hyalobarrier gel, Hyacorp endo gel, Materegen gel) for intra-uterine procedures?

Yes, Hyalobarrier gel

If so, how many have been purchased in the last 12 months? See Q3



Pencadlys BIP Bae Abertawe, Un Porthfa Talbot, Port Talbot, SA12 7BR / Swansea Bay UHB Headquarters, One Talbot Gateway, Port Talbot, SA12 7BR

5) How many Capio suture capturing devices were purchased in the last 12 months?

I understand you have received this information on an All Wales basis from the NHS Wales Shared Services Partnership broken down by each Health Board in Wales.

6) How many operating theatres do you have in the health board which are used for laparoscopy? Do they use bottled CO2?

7 theatres, yes they use CO2.

I hope this information is helpful. If you require anything further please contact us at <u>FOIA.Requests@wales.nhs.uk</u>.

Under the terms of the Health Board's Freedom of Information policy, individuals seeking access to recorded information held by the Health Board are entitled to request internal review of the handling of their requests. If you would like to complain about the Health Board's handling of your request please contact me directly at the address below or register your complaint via FOIA.Requests@wales.nhs.uk.

If after Internal Review you remain dissatisfied you are also entitled to refer the matter to the information commissioner at the Information Commissioner's Office (Wales), 2nd Floor, Churchill House, Churchill Way, Cardiff, CF10 2HH. Telephone Number: 029 2067 8400.

Yours sincerely

Pam Wenger

Director of Corporate Governance

P. a. wenger